


## CANOPIES AND CEILINGS

**DEFINITION:** An exhibit component supported over an exhibitor's space for decorative purposes only.



The intent of these regulations is to allow for the best use of booth space without interfering with or obstructing neighboring exhibitors. These regulations allow for reasonable sight lines from the aisles and open access to attendees walking the aisles. Show management reserves the right to remove or modify elements, at the expense of the exhibitor, if the display does not meet the specifications set forth in this document.

### COVERED EXHIBITS

Covered exhibits must be approved by show management in writing no later than 30 days prior to move in of the event. All venue and local fire regulations must be followed. All booth plans must be submitted to show management **AND** Clark County Fire Prevention Bureau.

Floor plans must be submitted to and approved by show management prior to going into production. [Submit your HIMSS26 booth plan](#) no later than **January 16, 2026**. Last-minute changes to your booth can be costly. Show management would be happy to provide guidance during your booth design process to ensure that all rules and regulations are met and that your company does not incur any charges for last-minute changes.

Mail covered booth plans to:  
Clark County Fire Prevention Bureau

575 East Flamingo Road, Las Vegas, NV 89119  
Questions: 702-455-7100

Submit two months prior to the conference.

#### DEPTH

Canopies may extend out to the aisle line and up to the booth line on either side of an exhibitor's space providing that the support structure will not exceed 3" (7.62cm) in width when placed within 10 linear feet (3.02m) of an adjoining exhibit and not confined to that area of the exhibitor's space which is at least 5' (1.52m) from the aisle line. The bottom of the canopy should not be lower than 7ft (2.13m) from the floor within 5ft (1.52m) of any aisle. Furthermore, canopies, false ceilings or umbrellas will not be used for identification or display purposes except as would normally be allowed for any exhibit component within the regulations set forth for the exhibit configuration.

#### HEIGHT

Canopies, false ceilings and umbrellas will be permitted to a height that corresponds to the height regulation for the appropriate exhibit configuration of which they are a part. For example, canopies will not exceed 8' (2.44m) in height in a standard booth configuration. Furthermore, the canopy or false ceiling will not exceed 10' (3.05m) in depth and cannot be used for identification or display purposes.

#### RULES AND REGULATIONS

The following shall be protected by automatic extinguishing systems: any single-level and multi-level booths exceeding 1,000 square feet that are completed on the show floor for more than seven (7) days at The Venetian Expo and Convention Center. A fire watch is required for all covered booths.

***ATTENTION: If your booth design requires any variance from the regulations outlined above, please contact show management to discuss and to receive approval for your booth variance. Please do not go into production on your booth until you have approval.***